



## PSP ELEKTRONIK d.o.o.

Doža Đerđa 57 21000 Novi Sad tel: +381 21 310 1025 fax: +381 21 636 1159 info@psp.co.rs [www.psp.co.rs](http://www.psp.co.rs)

Reg.br.: 22-223-00880701 Matični broj: 08215065 Šifra delatnosti: 4690

PIB 100736820 PDV reg.br. 132664655 T.r.: 275-0000220025811-43 Societe Generale Srbija banka a.d.

T.r.: 325-9500700003483-28 OTP banka Srbija a.d. T.r.: 255-4308-46 Privredna banka Beograd a.d.

			Bez PDV-a	Sa PDV-om
SW1600Nd	18SW1600Nd	1600 W / 25-1800 Hz / 97 dB	465,90	<b>549,76</b>
	21SW1600Nd	1600 W / 25-1200 Hz / 98 dB	568,72	<b>671,09</b>
	12SW1300Nd	1300 W / 25-1800 Hz / 96 dB	312,56	<b>368,82</b>
	15SW1300Nd	1300 W / 25-1800 Hz / 97 dB	357,06	<b>421,33</b>
P1200 Nd	15P1200/Nd	1200 W / 30-2000 Hz / 97 dB	308,56	<b>364,10</b>
	18P1200/Nd	1200 W / 25-2000 Hz / 98 dB	363,56	<b>429,00</b>
P1000 Nd	12P1000/Nd	900 W / 30-2500 Hz / 96 dB	260,48	<b>307,37</b>
	15P1000/Nd	1000 W / 30-2000 Hz / 97 dB	280,56	<b>331,06</b>
	18P1000/Nd	1000 W / 25-2000 Hz / 98 dB	324,30	<b>382,67</b>
P1000 Fe	15P1000 Fe	1000 W / 30-2000 Hz / 97 dB	187,50	<b>221,25</b>
	18P1000 Fe	1000 W / 25-2000 Hz / 98 dB	238,76	<b>281,74</b>
P80 Nd	12P80/Nd	700 W / 25-4000 Hz / 101 dB	267,18	<b>315,27</b>
	15P80/Nd	800 W / 30-5000 Hz / 100 dB	301,96	<b>356,31</b>
	18P80/Nd	800 W / 25-4000 Hz / 100 dB	333,64	<b>393,70</b>
P80 Fe	12P80Fe	700 W / 25-4000 Hz / 100 dB	154,40	<b>182,19</b>
	15P80Fe	800 W / 30-5000 Hz / 100.6 dB	209,60	<b>247,33</b>
P300 Fe	8P300Fe	300 W / 70-2000 Hz / 95 dB	76,64	<b>90,44</b>
P200 Fe	5P200Fe	150 W / 80-2000 Hz / 92 dB	52,80	<b>62,30</b>
G50	15G450/N	750 W / 30-1500 Hz / 98 dB	237,50	<b>280,25</b>
	18G50 (D)	750 W / 25-1500 Hz / 98dB	287,50	<b>339,25</b>
	18G550	900 W / 25-1500 Hz / 98 dB	261,80	<b>308,92</b>
G40	6G40Fe		62,00	<b>73,16</b>
	8G40	250 W / 65-6000 Hz / 95 dB	72,50	<b>85,55</b>
	10G40	400 W / 45-4000 Hz / 96 dB	100,38	<b>118,45</b>
	12G40	500 W / 35-4000 Hz / 97 dB	117,50	<b>138,65</b>
	15G40	700 W / 25-1500 Hz / 97 dB	181,26	<b>213,89</b>
	18G40	700 W / 25-1500 Hz / 97 dB	213,40	<b>251,81</b>
	5G40/Nd	100 W / 90-17000 Hz / 93 dB	84,52	<b>99,73</b>
G40/Nd	6G40/Nd	170 W / 70-9000 Hz / 95 dB	101,22	<b>119,44</b>
	12LX60V2	700 W / 35-2000 Hz / 96 dB	144,16	<b>170,11</b>
LX60V2	15LX60V2	700 W / 30-1500 Hz / 98 dB	176,00	<b>207,68</b>
	18LX60V2	700 W / 25-1000 Hz / 98 dB	227,50	<b>268,45</b>
	8LW30	250 W / 65-6000 Hz / 95 dB	109,34	<b>129,02</b>
LW30	10LW30/N	450 W / 35-3500 Hz / 94 dB	158,16	<b>186,63</b>
	12LW30/N	450 W / 35-5000 Hz / 96 dB	168,04	<b>198,29</b>
	15LW30	500 W / 35-4000 Hz / 99 dB	208,46	<b>245,98</b>
	10MW/Nd	350 W / 45-5000 Hz / 95 dB	147,44	<b>173,98</b>
MW/Nd	12MW/Nd	350 W / 35-5000 Hz / 97 dB	156,04	<b>184,13</b>
	15MW/Nd	400 W / 30-3500 Hz / 99 dB	170,04	<b>200,65</b>
	6MI90	125 W / 150-8000 Hz / 98 dB	47,56	<b>56,12</b>
MI100	6MI100	250 W / 150-6000 Hz / 97 dB	55,00	<b>64,90</b>
	8MI100	250 W / 150-7000 Hz / 98 dB	64,88	<b>76,56</b>
	10MI100	350 W / 70-4000 Hz / 101 dB	114,40	<b>134,99</b>
	12MI100	450 W / 40-4000 Hz / 100 dB	120,00	<b>141,60</b>
	15MI100	450 W / 30-4000 Hz / 101 dB	135,00	<b>159,30</b>

P200Fe	6P200Fe	200 W / 60-9000 Hz / 92.7 dB	70,00	<b>82,60</b>
P200Nd	6P200Nd	200 W / 60-9000 Hz / 92 dB	116,26	<b>137,19</b>
605Nd	605Nd	125 W / 150-8000 Hz / 100 dB	125,38	<b>147,95</b>
Coaxial	5CX200Nd	150/40 W / 60-20000 Hz 92.5/100 dB	189,82	<b>223,99</b>
	6CX200Nd	200/40 W / 30-20000 Hz 92/102 dB	203,20	<b>239,78</b>
	8BX/N	100/20 W / 25-20000 Hz / 92/102 dB	106,00	<b>125,08</b>
	8XC20	170/40 W / 65-20000 Hz / 98/105 dB	157,64	<b>186,02</b>
	8CX300Nd	300/40 W / 40-20000 Hz / 96/102 dB	203,80	<b>240,48</b>
	10XC25	250/40 W / 55-20000 Hz / 98/105 dB	188,64	<b>222,60</b>
	12CXA400Nd		382,00	<b>450,76</b>
	12XC30 (D)	250/40 W / 45-20000 Hz / 98/105 dB	192,50	<b>227,15</b>
	12XA30/Nd	350/90 W / 35-20000 Hz / 98/105 dB	358,26	<b>422,75</b>
	15CXA400Nd		399,50	<b>471,41</b>
	15XA38/Nd	350/90 W / 25-20000 Hz / 99/105 dB	374,50	<b>441,91</b>
	12KX	300/100 W / 35-17000 Hz / 98/105 dB	270,00	<b>318,60</b>
15KX	300/100 W / 25-17000 Hz / 99/105 dB	300,00	<b>354,00</b>	
SM	SM108	150 W / 65-6000 Hz / 95 dB	56,76	<b>66,98</b>
	SM110/N	200 W / 45-6500 Hz / 95 dB	56,38	<b>66,53</b>
	SM112/N	400 W / 35-4000 Hz / 97 dB	97,50	<b>115,05</b>
	SM112/W (D)	400 W / 35-4000 Hz / 96 dB	125,00	<b>147,50</b>
	SM115/K	500 W / 25-2000 Hz / 98 dB	163,20	<b>192,58</b>
	SM115/N	400 W / 30-3000 Hz / 98 dB	118,26	<b>139,55</b>
	SM118/N	400 W / 30-3000 Hz / 97 dB	146,00	<b>172,28</b>
	SM212	300 W / 45-6000 Hz / 98 dB	86,26	<b>101,79</b>
CM	CM-6	80 W / 150-6000 Hz / 90,7 dB	36,40	<b>42,95</b>
	CM-8B	100 W / 40-5000 Hz / 92,4 dB	38,40	<b>45,31</b>
	CM-10	125 W / 40-5000 Hz / 95,3 dB	48,80	<b>57,58</b>
HF Drivers 1"	CP350/Ti (D)	1" / 70 W / 0,8-20 kHz / 104 dB	131,00	<b>154,58</b>
	CP380/M	1" / 70 W / 0,8-20 kHz / 107 dB	106,88	<b>126,12</b>
	CD10Fe	1" / 70 W / 0,7-19kHz / 109dB	49,60	<b>58,53</b>
	CD10Nd	1" / 70 W / 0,7-19kHz / 111dB	125,80	<b>148,44</b>
	CD1014Fe	1,4" / 70 W / 0,7-19 kHz / 109dB	71,20	<b>84,02</b>
	CD1014Nd	1,4" / 70 W / 0,7-19 kHz / 110dB	123,46	<b>145,68</b>
	SMC1050/N	1" / 60 W / 0,8-18 kHz / 108 dB	72,80	<b>85,90</b>
	SMC280/ST	1" / 50 W / 0,8-18 kHz / 105 dB	51,46	<b>60,72</b>
	SMC225/Nd	1" / 40 W / 0,8-20 kHz / 108 dB	98,90	<b>116,70</b>
	SMC8060	1" / 50 W / 1,8-18 kHz / 107 dB	64,58	<b>76,20</b>
	CP385/Nd	1" / 60 W / 0,8-20 kHz / 107 dB	169,64	<b>200,18</b>
	HF Drivers 1,4"	CP755/Ti	1,4" / 90 W / 0,6-20 kHz / 110dB	170,00
CP755/Nd		1,4" / 90 W / 0,6-20 kHz / 112dB	374,76	<b>442,22</b>
CP755/Nd/Al		1,4" / 80 W / 0,6-20 kHz / 112dB	374,76	<b>442,22</b>
SMC65/Nd		2" / 70 W / 0,6-20 kHz / 108 dB	221,50	<b>261,37</b>
SMC65		2" / 70 W / 0,7-18 kHz / 107 dB	127,50	<b>150,45</b>
SMC60		2" / 80 W / 0,5-18 kHz / 109 dB	139,60	<b>164,73</b>
HF Drivers 2"	CP750/Ti	2" / 90 W / 0,6-20 kHz / 110 dB	180,00	<b>212,40</b>
	CP750/Nd	2" / 80 W / 0,6-20 kHz / 112 dB	389,72	<b>459,87</b>
	CP800/Ti	2" / 65 W / 0,5-20 kHz / 112dB	275,00	<b>324,50</b>
	CP850/Nd	2" / 65 W / 0,5-20 kHz / 112dB	460,62	<b>543,53</b>
	CP855Nd	1,4" / 100 W / 0,5-20 kHz / 112dB	400,50	<b>472,59</b>
LA Drivers	WL3	0,8" / 40 W / 0,7-20 kHz / 105 dB	150,76	<b>177,90</b>
	WL4	0,8" / 40 W / 0,7-20 kHz / 105 dB	156,00	<b>184,08</b>
	WL4Fe		82,40	<b>97,23</b>
	WL5	1,4" / 70 W / 0,6-20 kHz / 108 dB	307,20	<b>362,50</b>
Plated diaphragm	TPL150	80 W / 1-29 kHz / 99 dB	378,34	<b>446,44</b>
	TPL150/H	80 W / 0.7-23 kHz / 102 dB	428,46	<b>505,58</b>
Tweeters	CP09	15 W / 2-20 kHz / 104 dB	35,68	<b>42,10</b>
	CP12/N	15 W / 3-20 kHz / 107 dB	29,42	<b>34,72</b>
	CP16	15 W / 3-20 kHz / 105 dB	27,60	<b>32,57</b>
	CP21/F	25 W / 3,5-20 kHz / 105 dB	68,76	<b>81,14</b>
	CP22	25 W / 4-20 kHz / 107 dB	65,50	<b>77,29</b>
	CP25	25 W / 2.5-20 kHz / 104 dB	59,56	<b>70,28</b>
Horns 1"	TD194	1" / 90x40	40,28	<b>47,53</b>

	TD164	1" / 60x40	41,12	<b>48,52</b>
	TDWL4	1" / 90x20 / 800 Hz	64,00	<b>75,52</b>
<b>Horns 1,4"</b>	TD385	1,4" / 80 x 50 / 800 Hz	54,20	<b>63,96</b>
	TD365	1.4" / 60 x 50 / 800 Hz	54,20	<b>63,96</b>
<b>Horns 2"</b>	TD460/N	2" / 60 x 40 / 800 Hz	132,50	<b>156,35</b>
	TD590	2" / 90 x 40 / 800 Hz	140,00	<b>165,20</b>
	TD595	2" / 90 x 40 / 800 Hz	140,00	<b>165,20</b>
<b>Accessories</b>	AM1		17,60	<b>20,77</b>
	AM21	adapter 2" horn to 1" driver	50,00	<b>59,00</b>
	RE8/N	diffusing grid for 8" PA louspeakers	9,26	<b>10,93</b>
	VM30	cover for 5" mid-range loudspeakers	4,00	<b>4,72</b>
	VM100	cover for 8" mid-range loudspeakers	4,00	<b>4,72</b>
<b>Passive filters</b>	2V HI-FI	2 way / 4 kHz / 300 W rms	18,92	<b>22,33</b>
	3V HI-FI	3 way / 0,8 – 5 kHz / 300 W rms	51,40	<b>60,65</b>
	F100	High pass / 6,3 kHz / 300 W rms	18,90	<b>22,30</b>
	F102	High pass / 8 kHz / 300 W rms	18,46	<b>21,78</b>
	F130	High pass / 3 kHz / 300 W rms	21,04	<b>24,83</b>
	F200	2 way / 400 Hz / 300 W rms	57,44	<b>67,78</b>
	F300	3 way / 0,8 ; 5 kHz / 300 W rms	73,10	<b>86,26</b>
	FD212	2 way / 1,2 kHz / 600 W rms	63,06	<b>74,41</b>
	FD250	2way / 2 kHz / 600 W rms	58,10	<b>68,56</b>
	FD2CX		59,50	<b>70,21</b>
	FD2XA	2 way / 1,8 kHz / 600 W rms	52,28	<b>61,69</b>
	FD2XC1	2 way / 2 kHz / 600 W rms	49,56	<b>58,48</b>
	FD2XC2	2 way / 2,2 kHz / 600 W rms	50,34	<b>59,40</b>
	FD350	3 way / 2 ; 7 kHz / 600 W rms	67,80	<b>80,00</b>
<b>STUDIO LOW FREQ.</b>	5WOOF		24,00	<b>28,32</b>
	8BR40/N	50 W rms / 35-6000 Hz / 90 dB	38,08	<b>44,93</b>
	8WOOFER/P-V2	50 W rms / 30-3500 Hz / 92 dB	51,26	<b>60,49</b>
	BF-8R	50 W rms / 30-6000 Hz / 90 dB	29,60	<b>34,93</b>
	10BR60	100 WRMS / 30-5000 Hz / 91.5 Hz	67,00	<b>79,06</b>
	12BR70	125 W rms / 25-4000 Hz / 94,5 dB	63,76	<b>75,24</b>
	12B100/R	150 W rms / 25-4000 Hz / 93,6 dB	139,72	<b>164,87</b>
<b>STUDIO LOW + MID FREQ.</b>	5M30	50 W rms / 60-12000 Hz / 91 dB	34,30	<b>40,47</b>
	5MP60/N	50 W rms / 50-12000 Hz / 91 dB	39,00	<b>46,02</b>
	6B30/P	50 W rms / 50-12000 Hz / 90 dB	32,38	<b>38,21</b>
	8M70-V2	90 W rms / 120-9000 Hz / 95 dB	56,52	<b>66,69</b>
	MC115	25 W rms / 0.6-12.5 kHz / 91 dB	45,88	<b>54,14</b>
<b>Dome tweeters</b>	T2010	12 W rms / 1,5-20 kHz / 92 dB	30,18	<b>35,61</b>
	T2030	15 W rms / 1,5-20 kHz / 95 dB	33,70	<b>39,77</b>
	SMC2012/N	15 W rms / 1-20 kHz / 101 dB	49,90	<b>58,88</b>
<b>PUBLIC ADDRESS</b>	CL5/T	30 W rms / 55-20000 Hz / 89 dB	43,78	<b>51,66</b>
	CL6/T	45 W rms / 40-20000 Hz / 89 dB	50,49	<b>59,58</b>
	CL8/T	55 W rms / 40-20000 Hz / 91 dB	61,81	<b>72,94</b>
	IW5	40 W rms / 20-20000 Hz / 87 dB	71,89	<b>84,83</b>
	IW6	50 W rms / 20-20000 Hz / 88 dB	83,00	<b>97,94</b>
	HT3100	3-6 W / 100-20000 Hz / 85 dB	17,28	<b>20,39</b>
	SE6VT	3-6 W / 60-20000 Hz / 90 dB	27,83	<b>32,84</b>
<b>Fullrange Industrial</b>	5B30CX	25 W rms / 55-20000 Hz / 86 dB	20,00	<b>23,60</b>
	8AG/N	35 W rms / 60-18000 Hz / 96 dB	30,00	<b>35,40</b>
	8AG/1N (D)	30 W rms / 70-15000 Hz / 94 dB	27,50	<b>32,45</b>
	10AG/N	100 W rms / 60-17000 Hz / 97 dB	40,00	<b>47,20</b>
	12GA50	250 W / 70-18000 Hz / 102 dB	70,00	<b>82,60</b>
<b>Guitar</b>	12GA50G		70,00	<b>82,60</b>
	12G125		70,00	<b>82,60</b>
	12E320		188,24	<b>222,12</b>
<b>Bass Shaker</b>	SK07	50 W / 20-100 Hz	114,32	<b>134,90</b>
	102ND/N		182,00	<b>214,76</b>
	112Nd/W		198,00	<b>233,64</b>

115Nd/w	256,00	<b>302,08</b>
HP10	42,56	<b>50,22</b>
HP12	54,70	<b>64,55</b>

**(D) Discontinued - Prestaje se proizvoditi**